Advancements in Pesticide Application Equipment

Akshiti Kamboj*, Sagar and Gaurav Singh

*Maharana Pratap Horticultural University, Karnal, Haryana (India) -132001.

*Correspondence author: akshiticoh@mhu.ac.in

Abstract

The rapid advancements in pesticide application equipment are reshaping pest and disease management practices across agriculture, horticulture, and allied sectors. With increasing demands for sustainable farming and stricter regulatory standards, technologies such as precision sprayers, electrostatic sprayers, and drone-based systems are offering promising solutions to the limitations of traditional pesticide application methods. These innovations enhance application accuracy, minimize pesticide use, and reduce environmental impact, thus promoting more sustainable agricultural practices. Precision sprayers utilize GPS and sensor technologies to target specific areas, optimizing pesticide distribution and reducing wastage. Electrostatic sprayers improve coverage and adherence to plant surfaces, while minimizing drift and chemical runoff. Drone-based spraying systems, with their ability to cover large areas rapidly and uniformly, enable precise and efficient pesticide delivery, even in difficult terrains. Despite challenges, such as high initial costs, operational complexity, and the need for specialized training, these technologies contribute to improved crop health, enhanced productivity, and reduced ecological footprint. This article highlights the significance of these advancements in transforming pest management practices and their role in ensuring food security, environmental sustainability, and the long-term viability of agricultural and horticultural production.

The rapid evolution of agriculture, horticulture, and allied sectors has necessitated innovative approaches to pest and disease management. Pesticides play a vital role in safeguarding crops, enhancing productivity, and ensuring food security. However, their effectiveness depends significantly on the precision, efficiency, and sustainability of their application. This highlights the importance of advancements in pesticide application equipment, which aim to optimize resource utilization while minimizing environmental and health risks. Modern pesticide application technologies address the limitations of traditional methods, such as uneven distribution, overuse, and wastage. Innovations like precision sprayers, drone-based application systems, and electrostatic sprayers are transforming how pesticides are applied in fields, greenhouses, and orchards (Fig. 1). These advancements are particularly critical for horticulture, where high-value crops demand meticulous pest control, and for allied sectors like forestry and floriculture, which face unique pest challenges. The need for advanced equipment is driven by several factors: the rising costs of agricultural inputs, the push for sustainable farming practices, and stricter regulatory standards regarding pesticide usage. By reducing chemical residues, improving application accuracy, and enhancing operator safety, these technologies contribute to producing safer, higher-quality agricultural and horticultural products while preserving natural ecosystems.



Fig 1: Advanced pesticide equipments.

Principle and working

Precision sprayers (Fig. 2) are designed to apply pesticides more accurately and efficiently by using advanced technology to control the rate, pattern, and placement of chemicals. The basic principle behind precision sprayers is the use of sensors, Global Positioning System (GPS) systems, and variable rate technology (VRT) to target specific areas of a field, reducing wastage and ensuring that pesticides are only applied where needed (Fig. 2). By detecting real-time field conditions, such as pest infestations or plant health, sensors enable the sprayer to adjust the amount and distribution of pesticides dynamically. GPS ensures precise field mapping, while automated nozzles control spray patterns and droplet sizes. This targeted approach minimizes pesticide use, reduces environmental impact, and improves pest control efficacy (Giles & Slaughter, 1997).

Advantages and disadvantages

Precision sprayers offer several advantages, including reduced pesticide use, which leads to cost savings and minimizes adverse environmental impact. By applying pesticides only where needed, they decrease the risk of over-application and chemical runoff. This targeted approach improves crop health and yield potential by avoiding unnecessary chemical stress on plants. Additionally, precision sprayers enhance efficiency by covering large areas quickly and accurately, ultimately supporting more sustainable and cost-effective farming practices. However, they require a significant initial investment in technology and equipment, which may not be feasible for all farmers. The complexity of operation demands skilled labour and regular maintenance, adding to operational costs. Additionally, precision sprayers can be sensitive to adverse weather conditions and may experience reduced effectiveness if GPS signals are lost or if the sensors malfunction. These factors can limit their practicality in some farming situations and increase reliance on technological infrastructure.

2. Electrostatic Sprayer: Maximizing efficacy and minimizing drift

Principle and working

The principle of electrostatic sprayers (Fig. 3) is based on charging the pesticide droplets with an electric charge as they are sprayed. In this system, pesticide droplets are generated through atomization and then passed through an electric field or near an electrode, which imparts a strong



Fig 2: A precision sprayer (Seol et al., 2022)


Fig 2: Electrostatic sprayer (Thorat et al., 2022)

positive or negative charge to the droplets. Once charged, these droplets are sprayed into the air towards the target plant. These charged droplets attract the target (e.g., plants, crops) due to the electrostatic force between the charged droplets and the neutral or oppositely charged plant surfaces. This attraction ensures that the droplets wrap around and adhere to all surfaces of the plant, including hard-to-reach areas such as the undersides of leaves and within the canopy, increasing the deposition and coverage of the pesticide

The main difference between electrostatic sprayer and electrodyne sprayer is that electrostatic sprayers charge liquid droplets to enhance coverage and adhesion, while "electrodyne sprayer" is a less common term, potentially referring to similar or specific electrically enhanced spraying technology.

The electrical charge on the droplets results in mutual repulsion between them, preventing the formation of larger droplets and promoting the creation of small, uniform droplets. This minimizes the potential for overspray and reduces drift, thereby decreasing environmental contamination. The electrostatic sprayer thus offers a highly efficient and environmentally friendly means of applying pesticides, optimizing both chemical use and resource management in agricultural practices. (Thorat et al., 2022).

Advantages and disadvantages

One key benefit is their ability to achieve better coverage of difficult-to-reach targets, such as the undersides of leaves, where conventional spraying often falls short. This results in higher bio-efficacy, ensuring that pests are more effectively controlled. The technology also allows for longer-distance coverage, making it suitable for larger fields. In terms of resource savings, electrostatic sprayers reduce pesticide usage and overall cost per acre by 25 and 20%, respectively. Water consumption with electrostatic sprayers is ~10 times less water than conventional methods, further conserving resources. Overall, this method not only increases the effectiveness of pesticide application but also helps mitigate environmental pollution, making it an eco-friendly and cost-efficient solution in agricultural spraying. However, electrostatic sprayers come with certain challenges, one of the main drawbacks being their high initial cost. Additionally, the maintenance and repair of these sprayers can be quite complex and challenging, making it difficult for operators to address technical issues. Another limitation is the uncertain coverage in dense, thick crop canopies, where the sprayer's effectiveness may be compromised. The system is also more intricate compared to conventional methods, requiring specialized training for proper use. The nozzles need to be positioned at a precise distance from the plant canopy for optimal performance, adding another layer of complexity



Fig 4: A schematic diagram of electrostatic-assisted spray and deposition system (Gen *et a*l., 2014).

to the operation.

Drone-based Spraying Systems: Unmanned Precision and Flexible action

(a) Fixed-wing drone

A fixed-wing drone features a rigid, aerodynamic wing design that generates lift as it moves through the air. It closely resembles a conventional aircraft but operates without a pilot on board (Fig. 5). These drones are powered by either one or two internal combustion engines or an electric motor, which is connected to a propeller that provides forward thrust. The wings are constructed with a specialized air foil that creates a pressure difference between the front and rear surfaces of the wing. The wings are constructed with a specialized air foil that creates a pressure difference between the front and rear surfaces of the wing. Control surfaces such as ailerons, elevators, and rudders on the wings are used to adjust the drone's flight path. Fixed-wing drones offer several advantages, including the ability to cover long distances, reach high altitudes, and fly with minimal noise. They are commonly employed for surveillance purposes due to their endurance and quiet operation.

(b) Rotary-wing drone

Rotary wing drones generate lift through rotating blades, known as propellers. These drones come in two main types: Single Rotor Drones and Multi-Rotor Drones (Fig. 5). Single Rotor Drones, which resemble helicopters, use a single large rotor to achieve lift and are primarily employed in the construction industry for surveillance tasks. On the other hand, Multi-Rotor Drones are the most prevalent type in the market. They achieve propulsion and control their movements by adjusting the speed of individual rotors, coordinated by a flight controller. Based on the number of rotors, multi-rotor drones are further classified as Tricopters (three rotors), Quadcopters (four rotors), Hexacopters (six rotors), and Octocopters (eight rotors). Among these, quadcopters and hexacopters are the most widely used.

Principle and working

A quadcopter drone operates on the principle of generating lift through four equally spaced rotors, each powered by brushless DC (BLDC) motors. The propellers attached to these motors create thrust, which serves as the lift force. The motor speed, regulated by a flight controller and an electronic speed controller (ESC), determines the amount of lift generated, allowing the drone to

Fig 5: Different types of drones.



Fig 6: Labelled diagram of a drone.

ascend or descend (Fig. 6). To achieve various manoeuvres, the drone manipulates the lift force produced by the rotors. Take-off occurs when the lift force exceeds the drone's weight, while hovering is achieved when the lift force equals the weight. During stable hovering or climbing, all four rotors rotate at the same speed to maintain balance. Forward or backward movement (pitch) is achieved by adjusting the speed of the front and rear rotors, while sideways movement (rolling) is controlled by varying the speed between rotors on either side. Yawing, or rotating the drone around its vertical axis, is accomplished by altering the speed of diagonally opposite rotors. This coordination of rotor speeds allows for precise control of the drone's movement and stability in the air.

Advantages and disadvantages

One of the primary benefits of using drones for pesticide application is their ability to cover large agricultural areas quickly and uniformly, ensuring precise application where needed. This reduces wastage, as drones can apply targeted treatments with greater accuracy than traditional methods, minimizing the overall use of chemicals and promoting sustainable farming practices. Drones can also access difficult terrains and dense crop canopies, providing better coverage in hard-to-reach areas, a challenge for ground sprayers. Additionally, flying at lower altitudes improves pesticide deposition on plants while reducing drift, thus limiting environmental contamination. The high degree of automation in drones facilitates efficient scheduling and monitoring of pesticide application, saving both time and labour costs.

However, there are some disadvantages to consider. The initial cost of purchasing and maintaining drone technology can be high, particularly for smaller farms. One primary concern is that batteries need to be changed or charged for every acre of spraying. connected to a propeller that provides forward thrust. The wings are constructed with a specialized air foil that creates a pressure difference between the front and rear surfaces of the wing. The wings are constructed with a specialized air foil that creates a pressure difference between the front and rear surfaces of the wing. Control surfaces such as ailerons, elevators, and rudders on the wings are used to adjust the drone's flight path. Fixed-wing drones offer several advantages, including the ability to cover long distances, reach high altitudes, and fly with minimal noise. They are commonly employed for surveillance purposes due to their endurance and quiet operation.

(b) Rotary-wing drone

Rotary wing drones generate lift through rotating blades, known as propellers. These drones come in two main types: Single Rotor Drones and Multi-Rotor Drones (Fig. 5). Single Rotor Drones, which resemble helicopters, use a single large rotor to achieve lift and are primarily employed in the construction industry for surveillance tasks. On the other hand, Multi-Rotor Drones are the most prevalent type in the market. They achieve propulsion and control their movements by adjusting the speed of individual rotors, coordinated by a flight controller. Based on the number of rotors, multi-rotor drones are further classified as Tricopters (three rotors), Quadcopters (four rotors), Hexacopters (six rotors), and Octocopters (eight rotors). Among these, quadcopters and hexacopters are the most widely used.

Principle and working

A quadcopter drone operates on the principle of generating lift through four equally spaced rotors, each powered by brushless DC (BLDC) motors. The propellers attached to these motors create thrust, which serves as the lift force. The motor speed, regulated by a flight controller and an electronic speed controller (ESC), determines the amount of lift generated, allowing the drone to ascend or descend (Fig. 6). To achieve various manoeuvres, the drone manipulates the lift force produced by the rotors. Take-off occurs when the lift force exceeds the drone's weight, while hovering is achieved when the lift force equals the weight. During stable hovering or climbing, all four rotors rotate at the same speed to maintain balance. Forward or backward movement (pitch) is achieved by adjusting the speed of the front and rear rotors, while sideways movement (rolling) is controlled by varying the speed between rotors on either side. Yawing, or rotating the drone around its vertical axis, is accomplished by altering the speed of diagonally opposite rotors. This coordination of rotor speeds allows for precise control of the drone's movement and stability in the air.

Advantages and disadvantages

One of the primary benefits of using drones for pesticide application is their ability to cover large agricultural areas quickly and uniformly, ensuring precise application where needed. This reduces wastage, as drones can apply targeted treatments with greater accuracy than traditional methods, minimizing the overall use of chemicals and promoting sustainable farming practices. Drones can also access difficult terrains and dense crop canopies, providing better coverage in hard-to-reach areas, a challenge for ground sprayers. Additionally, flying at lower altitudes improves pesticide deposition on plants while reducing drift, thus limiting environmental contamination. The high degree of automation in drones facilitates efficient scheduling and monitoring of pesticide application, saving both time and labour costs.

However, there are some disadvantages to consider. The initial cost of purchasing and maintaining drone technology can be high, particularly for smaller farms. One primary concern is that batteries need to be changed or charged for every acre of spraying. Drones also have payload limitations, restricting the amount of pesticide they can carry, which may require multiple flights for larger fields, potentially increasing operational time. Compliance with aviation regulations can be complex, often requiring permits and adherence to guidelines specific to pesticide application. Weather conditions such as strong winds or low visibility can affect the accuracy and effectiveness of drone operation. Moreover, technical expertise is needed to operate drones effectively, necessitating training to ensure proper handling and application techniques. Lastly, the risk of pesticide drift, where chemicals may affect non-target areas, raises environmental and safety concerns. One of the primary benefits is their ability to cover large agricultural areas quickly and uniformly, ensuring that pesticides are applied precisely where needed. This capability minimizes wastage, as drones can apply targeted treatments with greater accuracy than traditional methods, reducing the overall quantity of chemicals used and promoting more sustainable farming practices. Additionally, drones can access difficult terrains and dense crop canopies, allowing for better coverage of hard-to-reach areas, which is often a challenge for ground sprayers. The ability to fly at lower altitudes enhances the deposition of pesticides on plants while reducing drift, thereby decreasing environmental contamination. Drones also operate with a high degree of automation, allowing for efficient scheduling and monitoring of pesticide application, which saves time and labour costs.

The effectiveness of modern pesticide application technologies compared to traditional methods has been the subject of various studies (Giles and Slaughter, 1997. These studies emphasize the improved efficiency, accuracy, and environmental benefits offered by new sprayers, drones, and electrostatic equipment. Here's a summary of key findings from some of these studies:

Precision vs traditional sprayers

Precision sprayers, which use GPS and sensors, reduced pesticide use by 30-50% compared to traditional methods (Zheng et al., 2023; Thorat et al., 2022; Giles and Slaughter, 1997). These sprayers also minimized the risk of chemical runoff by applying pesticides only where necessary, based on real-time data from the field. This is a big improvement over traditional sprayers, which often lead to over-application and waste by spraying the same amount of pesticide everywhere, regardless of pest levels. Precision sprayers not only help control pests more effectively but also lower long-term costs by cutting down on pesticide and labour use. However, their high initial cost and the need for skilled operators remain challenges for wider use (.

Electrostatic vs conventional sprayers

A study by Thorat et al. (2022) compared electrostatic sprayers with traditional sprayers, highlighting the advantages in coverage, effectiveness, and environmental impact. Electrostatic sprayers reduced pesticide use by up to 25% and water consumption by almost 90% compared to conventional methods. The charged droplets in electrostatic sprayers stick to plant surfaces, improving coverage, especially on the undersides of leaves, which are harder to reach with traditional sprayers. The study also found that electrostatic sprayers produced much less pesticide drift, helping to prevent environmental pollution. On the other hand, traditional sprayers often suffer from drift and uneven coverage, which wastes chemicals and contaminates areas that shouldn't be sprayed. Although electrostatic sprayers have these advantages, their high upfront cost and limited effectiveness in thick crop canopies are challenges.

Drone-based vs ground-based sprayers

Zheng et al. (2023) compared drone sprayers (quadcopters) with tractor-mounted sprayers in terms of coverage, efficiency, and pesticide use. Drones were more accurate, applying pesticides at lower altitudes, which improved deposition and reduced drift. In comparison, traditional sprayers often lead to pesticide loss due to wind drift and uneven application. The study also showed that drones could cover larger areas more quickly than ground sprayers, saving on labour costs and reducing the need for multiple passes. Drones can access difficult areas such as dense crop canopies and uneven terrains, offering better coverage where ground sprayers are less effective. However, drones have some drawbacks, such as their limited payload, which means multiple flights may be needed for large fields, increasing operational time. Additionally, drones require specialized training and have high maintenance costs, which can be barriers to widespread adoption.

Conclusion

The advancements in pesticide application equipment are revolutionizing pest management practices in agriculture, horticulture, and allied sectors, offering solutions to the challenges of traditional methods and aligning with the goals of sustainable farming. Innovations such as precision sprayers, electrostatic systems, and drone-based technologies provide enhanced accuracy, reduced chemical usage, and lower environmental impact, contributing to optimized resource use, improved safety, and higher-quality crop production. While challenges like high upfront costs, operational complexity, and the need for specialized training remain, growing accessibility through supportive policies, training initiatives, and technological advancements is facilitating their adoption. As food security demands increase and environmental regulations become more stringent, these advanced systems are critical for achieving efficient and sustainable pest control. By embracing these transformative technologies, the agricultural sector can enhance productivity, preserve environmental integrity, and build a future defined by sustainable and resilient farming systems.

References:

Seol, J., Kim, J., & Son, H. I. (2022). Field evaluations of a deep learning-based intelligent spraying robot with flow control for pear orchards. *Precision Agriculture*, *23*(2), 712-732.

Zheng, J., & Xu, Y. (2023). A Review: Development of Plant Protection Methods and Advances in Pesticide Application Technology in Agro-Forestry Production. *Agriculture*, *13*(11), 2165.

Thorat, D. S., Jyoti, B., & Khadatkar, A. (2022). Precision spraying technologies for orchard crops. *Indian Horticulture*, *67*(4).

Borikar, G. P., Gharat, C., & Deshmukh, S. R. (2022). Application of drone systems for spraying pesticides in advanced agriculture: A Review. In *IOP Conference Series: Materials Science and Engineering*, *1259*(1), 012015.

Song, Y., Sun, H., Li, M., & Zhang, Q. (2015). Technology application of smart spray in agriculture: A review. *Intelligent Automation & Soft Computing*, *21*(3), 319-333.

Gen, M., Ikawa, S., Sagawa, S., & Lenggoro, I. W. (2014). Simultaneous deposition of submicron aerosols onto both surfaces of a plate substrate by electrostatic forces. *e-Journal of Surface Science and Nanotechnology*, *12*, 238-241.

Giles, D. K., & Slaughter, D. C. (1997). Precision band spraying with machine-vision guidance and adjustable yaw nozzles. *Transactions of the ASAE*, *40*(1), 29-36.